



Proceq Coating and Film Testing

# Proceq ZHT 2093

---

Pocket Hardness Tester

---




## Ease of Use

Easy to handle



## Performance

Precise positioning



## Versatility

Easily read different forces






## Instrument Tech Specs

<b>Measurements</b>	0.5 mm [0.02"], 0.75 mm [0.03"] and 1.0 mm [0.04"] tip available
<b>Weight</b>	73 g [0.16 lbs]
	3 pressure springs
	White: Forces: 0 - 3N (0 - 0.3 kg), Resolution: 10 g [0.02lbs]
<b>Special Features</b>	Blue: Forces: 0 - 10N (0 - 1 kg), Resolution: 50 g [0.11 lbs]
	Red: Forces: 0 - 20N (0 - 2 kg), Resolution: 100 g [0.22lbs]



## Our Accessories

Image	PartNumber	Description
	43010915	1.0 mm [0.04"] tip (43010915) Accessories
	43010916	0.5 mm [0.02"] tip (43010916) Accessories
	43010929	adapter for scratch and mar resistance tests (43010929) Accessories

Standards & Guidelines	Description
DIN 55656	
DIN SPEC 91064	
Volkswagen TL 226	

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.  
[www.screeningeagle.com](http://www.screeningeagle.com)

[Request a quote](#)



