



Proceq Coating and Film Testing  
**Proceq ZWW 2100 - 2104**

---

Wet Film Thickness Wheel

---




**Ease of Use**

Easy to use




**Reliability**

Sturdy and extremely durable



**Simplicity**

Quick clean up



## Instrument Tech Specs

ZWW 2100: 0  $\mu\text{m}$  - 25  $\mu\text{m}$  [0 mil - 0.98 mil]  
1  $\mu\text{m}$  (0.04 mil) resolution

---

ZWW 2101: 0  $\mu\text{m}$  - 50  $\mu\text{m}$  [0 mil - 1.97 mil]  
2  $\mu\text{m}$  (0.08 mil) resolution

---

### Measuring Range

ZWW 2102: 0  $\mu\text{m}$  - 125  $\mu\text{m}$  [0 mil - 4.92 mil]  
5  $\mu\text{m}$  (0.20 mil) resolution

---

ZWW 2103: 0  $\mu\text{m}$  - 250  $\mu\text{m}$  [0 mil - 9.84 mil]  
10  $\mu\text{m}$  (0.39 mil) resolution

---

ZWW 2104: 0  $\mu\text{m}$  - 500  $\mu\text{m}$  [0 mil - 19.69 mil]  
20  $\mu\text{m}$  (0.79 mil) resolution

---

### Weight

165 g [0.36 lbs]

---

Standards & Guidelines	Description
ASTM D1212	
ISO 2808	

---

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.  
[www.screeningeagle.com](http://www.screeningeagle.com)

[Request a quote](#)



