



## Profometer Rebar Diameter & Cover Meter

# PM8000 Lite

---

The durable concrete cover meter for easy rebar location, finding safe spots to drill and fast quality checks by reading rebar cover & diameter measurements

---




### Precision

Designed and produced in Switzerland for highest quality and performance for professional rebar detection



### Ergonomics

Compact, ultra light-weight cover meter, especially designed for use in rough environments



### Simplicity

Find your rebars, safe spot to drill, determine the covers and estimate the diameter – fast and at the press of a button



## Instrument Tech Specs

Applications	Rebar location, finding safe spots to drill, quality check, minimum cover check, metal detection
Technology	Eddy-current
Cover Measuring depth	Up to 185 mm / 7.3 in
Cover Measuring Accuracy	+/-1 mm / 0.04 in to 4 mm /0.16 in depending on depth
Rebar Diameter Measuring Depth	up to 63 mm / 2.5 in
Rebar Diameter Measuring Accuracy	+/- rebar size
Display	High-contrast OLED screen
Dimensions	190 x 75 x 45 mm / 7.5 x 3.0 x 1.8 in
Weight	300 g / 0.7 lb
Battery	2 x AA (NiMH) rechargeable or non rechargeable Removable Flight-safe 8 hours autonomy USB-C power bank (not included)

Standards & Guidelines	Description
BS 1881, Part 204	
DGZfP B2	
DIN 1045	
SIA 262-1	
SN 505262	
SS 78-B4	
DBV Guidelines	

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.  
[www.screeningeagle.com](http://www.screeningeagle.com)

[Request a quote](#)



Machine translated & automatically generated (English version prevails): 13.03.2024  
 Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.

