



Proceq 涂层和薄膜测试

Proceq ZWW 2100 - 2104


湿膜测厚轮



便于使用
轻松 利用




可靠性
坚固 和 极其 耐用的



简单
快干净向上







仪器
技术规格

ZWW 2100: 0 μm - 25 μm [0 mil - 0.98 mil]
1 μm (0.04 mil) 分辨率

ZWW 2101: 0 μm - 50 μm [0 mil - 1.97 mil]
2 μm (0.08 mil) 分辨率

测量范围

ZWW 2102: 0 μm - 125 μm [0 mil - 4.92 mil]
5 μm (0.20 mil) 分辨率

ZWW 2103: 0 μm - 250 μm [0 mil - 9.84 mil]
10 μm (0.39 mil) 分辨率

ZWW 2104 : 0 μm - 500 μm [0 mil - 19.69 mil]
20 μm (0.79 mil)) 解决

重量


165 克 [0.36 磅]

Standards & Guidelines Description

ASTM D1212

ISO 2808

SWISS  MADE



我们的业务遍及 100 多个国家，为世界各地的检验员和工程师提供最全面的 InspectionTech 解决方案，结合直观的软件和瑞士制造的传感器。
www.screeningeagle.com

[请求
报价](#)



proceq

机器翻译并自动生成于 (以英文版为准) : 22.01.2025

版权所有 © 2023 Screening Eagle Technologies AG 或其附属公司。版权所有。