



Proceq 涂层和薄膜测试
Proceq ZWW 2100 - 2104

湿膜测厚轮




便于使用

轻松 利用




可靠性

坚固 和 极其耐用的



简单

快 干净 向上



仪器 技术规格

ZWW 2100: 0 μ m - 25 μ m [0 mil - 0.98 mil]
1 μ m (0.04 mil) 分辨率

ZWW 2101: 0 μ m - 50 μ m [0 mil - 1.97 mil]
2 μ m (0.08 mil) 分辨率

测量范围

ZWW 2102: 0 μ m - 125 μ m [0 mil - 4.92 mil]
5 μ m (0.20 mil) 分辨率

ZWW 2103: 0 μ m - 250 μ m [0 mil - 9.84 mil]
10 μ m (0.39 mil) 分辨率

ZWW 2104 : 0 μ m - 500 μ m [0 mil - 19.69 mil]
20 μ m (0.79 mil)) 解决

重量

165 克 [0.36 磅]

Standards & Guidelines	Description
ASTM D1212	
ISO 2808	

SWISS  MADE



我们的业务遍及 100 多个国家，为世界各地的检验员和工程师提供最全面的 InspectionTech 解决方案，结合直观的软件和瑞士制造的传感器。
www.screeningeagle.com

请求报价



